







**WIREWORLD PRICING**  
18 Septembre 2024

Off p




<b>HDMI® CABLES</b>		<b>Specifications</b>		0.6M	1.0M	2.0M	3.0M	15.0M
	RAHIUS-48 HDMI (RAH) UL-CL2 / CSA-FT4	oxygen-free copper conductors Composilex 3 insulation 48G cables are UHS Certified 18G cables are DPL Labs Certified Ethernet / eARC	Speed>>> Retail >>>	RAH0.6M-48 <b>48G</b> 35,00	RAH1.0M-48 <b>48G</b> 40,00	RAH2.0M-48 <b>48G</b> 50,00	RAH3.0M-48 <b>48G</b> 60,00	RAH15.0M <b>18G Active</b> 250,00
	SPHERE-48 HDMI (SPH) UL-CL2 / CSA-FT4	oxygen-free copper conductors Composilex 3 insulation Uni-Path design Ultra 8K / 48G Ethernet / eARC	Speed>>> Retail >>>	SPH0.6M-48 <b>48G</b> 60,00	SPH1.0M-48 <b>48G</b> 70,00	SPH2.0M-48 <b>48G</b> 90,00	SPH3.0M-48 <b>48G</b> 110,00	n/a
	SILVER SPHERE-48 HDMI (SSP)	Silver-clad OFC conductors Uni-Path design Composilex 3 insulation Ultra 8K / 48G Ethernet / eARC	Speed>>> Retail >>>	SSP0.6M-48 <b>48G</b> 250,00	SSP1.0M-48 <b>48G</b> 300,00	SSP2.0M-48 <b>48G</b> 400,00	SSP3.0M-48 <b>48G</b> 500,00	n/a
	PLATINUM STARLIGHT-48 HDMI (PSH) available in March	Solid Silver conductors Uni-Path design Composilex 3 insulation Isolated & Filtered Power Conductor Ultra 8K / 48G / Ethernet / eARC	Speed>>> Retail >>>	PSH0.6M-48 <b>48G</b> 800,00	PSH1.0M-48 <b>48G</b> 1,000,00	PSH2.0M-48 <b>48G</b> 1,500,00	PSH3.0M-48 <b>48G</b> 2,000,00	n/a








<b>FIBER OPTIC HDMI® CABLES</b>		<b>Specifications</b>		1.0M	2.0M	3.0M	5.0M
	STARLIGHT-48 OPTICAL HDMI (SOH) RATED UL CL2/FT4 available in March	UL-CLP/FT6 commercial inwall rated II-VI American Lasers Silicon-Line German chipset UHS Certified Ultra 8K / 48Gbps Ethernet / eARC	Speed>>> Retail >>>	n/a	n/a	n/a	SOH5.0M-48 <b>48G</b> 320,00
	STELLAR OPTICAL HDMI (STH) PLENUM RATED UL CMP/FT6	VIVIDTECH NR System II-VI American Lasers Silicon-Line German chipset UHS Certified Ultra 8K / 48Gbps Ethernet / eARC / HDR / HDCP2.3 UL-CLP/FT6 commercial inwall rated	Speed>>> Retail >>>	STH1.0M <b>48G</b> 330,00	STH2.0M <b>48G</b> 360,00	STH3.0M <b>48G</b> 400,00	STH5.0M <b>48G</b> 500,00







<b>HDMI / DVI ADAPTERS</b>			
HDMI FEMALE to HDMI FEMALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMIFF 17,00
HDMI RIGHT / LEFT ANGLE (gold / silver / copper alloy contacts)	 RIGHT and LEFT	Part Code >>> Retail >>>	HDMIANGL-R/L 17,00
HDMI female to MINI HDMI MALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	MINIHDMI 17,00
HDMI FEMALE to DVI MALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMFDVM 40,00
HDMI MALE to DVI FEMALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMMDVF 40,00













The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Adm.










ETHERNET CABLES Patented flat design isolates network noise Longer lengths provide greater improvements	Materials & Design		Standard length cables				Bulk Cable
			1.0M	2.0M	3.0M	5.0M	150M spool
 CHROMA 8 TWINAX ETHERNET (CHE)	23AWG Oxygen-Free Copper Composilex 3 insulation Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance	Part codes >>> Retail >>>	CHE1.0M <u>100,00</u>	CHE2.0M <u>125,00</u>	CHE3.0M <u>150,00</u>	CHE5.0M <u>200,00</u>	CHEM150 <u>3.750,00</u>
 STARLIGHT 8 TWINAX ETHERNET (STE)	23AWG Silver-clad Oxygen-Free Copper Composilex 3 insulation Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance	Part codes >>> Retail >>>	STE1.0M <u>275,00</u>	STE2.0M <u>350,00</u>	STE3.0M <u>425,00</u>	STE5.0M <u>575,00</u>	STEM150 <u>11.250,00</u>
 PLATINUM STARLIGHT 8 TWINAX ETHERNET (PSE)	23AWG OCC-7N solid silver Composilex 3 insulation Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance	Part codes >>> Retail >>>	PSE1.0M <u>900,00</u>	PSE2.0M <u>1.500,00</u>	PSE3.0M <u>2.100,00</u>	PSE5.0M <u>3.300,00</u>	PSEM150 <u>90.000,00</u>

USB 2.0 / 3.0 / 3.1 DIGITAL AUDIO	Design	Materials		0.3M	0.6M	1.0M
 CHROMA 8 USB3.1 C to C (C31C)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper Composilex 3 insulation	Part codes >>> Retail >>>	n/a	C2AB0.6M <u>30,00</u>	C2AB1.0M <u>33,00</u>
 STARLIGHT 8 USB2.0 A to B (S2AB)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper Composilex 3 insulation	Part codes >>> Retail >>>	n/a	C31C0.6M <u>58,00</u>	C31C1.0M <u>60,00</u>
 STARLIGHT 8 USB3.1 C to C (S31C)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC Composilex 3 insulation	Part codes >>> Retail >>>	n/a	S2AB0.6M <u>90,00</u>	S2AB1.0M <u>110,00</u>
 PLATINUM STARLIGHT 8 USB2.0 A to B (P2AB)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC Composilex 3 insulation	Part codes >>> Retail >>>	n/a	S31C0.6M <u>140,00</u>	S31C1.0M <u>180,00</u>
 PLATINUM STARLIGHT 8 USB2.0 C to A (P2CA)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver Composilex 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>	P2AB0.3M <u>460,00</u>	P2AB0.6M <u>520,00</u>	P2AB1.0M <u>600,00</u>
 PLATINUM STARLIGHT 8 USB2.0 C to Micro-B (P2CM)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver Composilex 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>	n/a	n/a	P2CA1.0M <u>600,00</u>
 PLATINUM STARLIGHT 8 USB2.0 C to Micro-B (P2CM)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver Composilex 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>	n/a	n/a	P2CM1.0M <u>600,00</u>

COAXIAL DIGITAL AUDIO (75 ohms, RCA plugs, BNC's optional)	Materials	Cable Design		Standard length cables			tom length cables	Bulk Cable	
				0.5M	1.0M	1.5M	Assembly Charge	Small spool	Large spool
 CHROMA 8 (CRV)	Oxygen-Free Copper Composilex 3 insulation 24K gold / OFC contacts	75-ohm DNA Helix 25 AWG	Part codes >>> Retail >>>	CRV0.5M <u>37,00</u>	CRV1.0M <u>40,00</u>	CRV1.5M <u>43,00</u>	CRVTERM <u>34,00</u>	CRVM050 <u>300,00</u>	CRVM100 <u>600,00</u>
 ULTRAVIOLET 8 (UVV)	silver-plated OFC Composilex 3 insulation 24K gold / OFC contacts	75-ohm DNA Helix 25 AWG	Part codes >>> Retail >>>	UVV0.5M <u>65,00</u>	UVV1.0M <u>70,00</u>	UVV1.5M <u>75,00</u>	UVVTERM <u>60,00</u>	UVVM050 <u>500,00</u>	UVVM100 <u>1.000,00</u>
 STARLIGHT 8 (STV)	silver-clad OFC Composilex 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 26 AWG	Part codes >>> Retail >>>	STV0.5M <u>105,00</u>	STV1.0M <u>125,00</u>	STV1.5M <u>145,00</u>	STVTERM <u>85,00</u>	STVM030 <u>1.200,00</u>	STVM100 <u>4.000,00</u>
 SILVER STARLIGHT 8 (SSV)	OCC-7N silver-clad copper Composilex 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 24 AWG	Part codes >>> Retail >>>	SSV0.5M <u>250,00</u>	SSV1.0M <u>300,00</u>	SSV1.5M <u>350,00</u>	SSVTERM <u>200,00</u>	SSVM030 <u>3.000,00</u>	SSVM050 <u>5.000,00</u>
 GOLD STARLIGHT 8 (GSV)	Solid Silver Composilex 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 24 AWG	Part codes >>> Retail >>>	GSV0.5M <u>425,00</u>	GSV1.0M <u>600,00</u>	GSV1.5M <u>775,00</u>	GSVTERM <u>250,00</u>	GSVM030 <u>10.500,00</u>	GSVM050 <u>17.500,00</u>
 PLATINUM STARLIGHT 8 (PSV)	OCC-7N solid silver Composilex 3 insulation silver-clad OFC contacts Carbon Fiber plugs	75-ohm DNA Helix 22 AWG	Part codes >>> Retail >>>	PSV0.5M <u>1.150,00</u>	PSV1.0M <u>1.900,00</u>	PSV1.5M <u>2.650,00</u>	PSVTERM <u>400,00</u>	PSVM025 <u>37.500,00</u>	PSVM050 <u>75.000,00</u>









BALANCED DIGITAL AUDIO CABLES (110-ohm, XLR female to XLR male)	Materials	Cable Design		Standard length cables			tom length cables	Bulk Cable	
				0.5M	1.0M	1.5M	Assembly Charge	Small spool	Large spool
 LUNA 8 (LUA)	OFC Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	LUA0.5M <u>47.50</u>	LUA1.0M <u>50.00</u>	LUA1.5M <u>52.50</u>	LUATERM <u>45.00</u>	LUIM050 <u>250.00</u>	LUIM100 <u>500.00</u>
 SOLSTICE 8 (SOA)	Silver Plated OFC Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	SOA0.5M <u>56.00</u>	SOA1.0M <u>62.00</u>	SOA1.5M <u>68.00</u>	SOATERM <u>50.00</u>	SOIM050 <u>600.00</u>	SOIM100 <u>1,200.00</u>
 MICRO-ECLIPSE 8 (MEA)	OCC-7N Copper Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	MEA0.5M <u>170.00</u>	MEA1.0M <u>200.00</u>	MEA1.5M <u>230.00</u>	MEATERM <u>140.00</u>	MEIM025 <u>1,500.00</u>	MEIM050 <u>3,000.00</u>
 MICRO-SILVER ECLIPSE 8 (MSA)	OCC-7N Silver-Clad conductors Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	MSA0.5M <u>240.00</u>	MSA1.0M <u>300.00</u>	MSA1.5M <u>360.00</u>	MSATERM <u>180.00</u>	MSEM025 <u>3,000.00</u>	MSE050 <u>6,000.00</u>
 MICRO-PLATINUM ECLIPSE 8 (MPA)	OCC-7N solid silver conductors Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	MPA0.5M <u>375.00</u>	MPA1.0M <u>550.00</u>	MPA1.5M <u>725.00</u>	MPATERM <u>200.00</u>	MPIM025 <u>8,750.00</u>	MPIM050 <u>17,500.00</u>
 PLATINUM STARLIGHT 8 (PSA)	OCC-7N solid silver conductors Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 22 AWG	Part codes >>> Retail >>>	PSA0.5M <u>1,050.00</u>	PSA1.0M <u>1,800.00</u>	PSA1.5M <u>2,550.00</u>	PSATERM <u>300.00</u>	PSAM025 <u>37,500.00</u>	PSAM050 <u>75,000.00</u>






TOSLINK OPTICAL DIGITAL AUDIO	Conductor Material		0.3M	0.5M	1.0M	2.0M
 SUPERNOVA 7 Toslink Optical (STO)	338 borosilicate glass fibers	Part codes >>> Retail >>>	n/a	STO0.5M <u>230.00</u>	STO1.0M <u>260.00</u>	STO2.0M <u>320.00</u>
 SUPERNOVA 7 (SMO) Toslink to 3.5mm connector	338 borosilicate glass fibers	Part codes >>> Retail >>>	SMO0.3M <u>210.00</u>	SMO0.5M <u>230.00</u>	SMO1.0M <u>260.00</u>	SMO2.0M <u>320.00</u>
 NOVA Toslink Optical (NTO)	Acrylic monofilament	Part codes >>> Retail >>>	n/a	NTO0.5M <u>35.00</u>	NTO1.0M <u>40.00</u>	NTO2.0M <u>50.00</u>
 NOVA Toslink to 3.5mm connector (NMO)	Acrylic monofilament	Part codes >>> Retail >>>	n/a	NMO0.5M <u>35.00</u>	NMO1.0M <u>40.00</u>	NMO2.0M <u>50.00</u>







AUDIO INTERCONNECT PAIRS (2 RCA males to 2 RCA males)	Materials & Design		Standard length pairs					Bulk cable	
			0.5M	1.0M	1.5M	2.0M	Assembly Charge (Pr.)	Small spool	Large spool
	Oxygen-Free Copper conductors Composilex 3 insulation 24K gold / brass contacts Dual DNA Helix design / 25 AWG	Part codes >>> Retail >>>	STI0.5M <u>30.00</u>	STI1.0M <u>36.00</u>	n/a	STI2.0M <u>42.00</u>	STITERM <u>50.00</u>	STIM100 <u>400.00</u>	
	Oxygen-Free Copper conductors Composilex 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LUI0.5M <u>65.00</u>	LUI1.0M <u>70.00</u>	LUI1.5M <u>75.00</u>	LUI2.0M <u>80.00</u>	LUITERM <u>60.00</u>	LUIM050 <u>250.00</u> LUIM100 <u>500.00</u>	
	Silver-plated OFC conductors Composilex 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SOI0.5M <u>87.00</u>	SOI1.0M <u>99.00</u>	SOI1.5M <u>111.00</u>	SOI2.0M <u>123.00</u>	SOTERM <u>75.00</u>	SOIM050 <u>600.00</u> SOIM100 <u>1,200.00</u>	
	Oxygen-Free Copper conductors Composilex 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OAI0.5M <u>130.00</u>	OAI1.0M <u>150.00</u>	OAI1.5M <u>170.00</u>	OAI2.0M <u>190.00</u>	OAITERM <u>110.00</u>	OAIM050 <u>1,000.00</u> OAIM100 <u>2,000.00</u>	
	OCC-7N copper conductors Composilex 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	EQI0.5M <u>190.00</u>	EQI1.0M <u>250.00</u>	EQI1.5M <u>310.00</u>	EQI2.0M <u>370.00</u>	EQITERM <u>130.00</u>	EQIM050 <u>3,000.00</u> EQIM100 <u>6,000.00</u>	
	OCC-7N copper conductors Composilex 3 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	ECI0.5M <u>400.00</u>	ECI1.0M <u>525.00</u>	ECI1.5M <u>650.00</u>	ECI2.0M <u>775.00</u>	ECITERM <u>275.00</u>	ECIM025 <u>3,125.00</u> ECIM050 <u>6,250.00</u>	
	OCC-7N silver-clad copper Composilex 3 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	SEI0.5M <u>550.00</u>	SEI1.0M <u>800.00</u>	SEI1.5M <u>1,050.00</u>	SEI2.0M <u>1,300.00</u>	SEITERM <u>300.00</u>	SEIM025 <u>6,250.00</u> SEIM050 <u>12,500.00</u>	
	4N solid silver conductors Composilex 3 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	GEI0.5M <u>1,050.00</u>	GEI1.0M <u>1,750.00</u>	GEI1.5M <u>2,450.00</u>	GEI2.0M <u>3,150.00</u>	GEITERM <u>350.00</u>	GEIM025 <u>17,500.00</u> GEIM050 <u>35,000.00</u>	
	OCC-7N solid silver conductors Composilex 3 insulation carbon fiber plugs / silver-clad OFC contacts Quad DNA Helix design / 17 AWG	Part codes >>> Retail >>>	PEI0.5M <u>2,100.00</u>	PEI1.0M <u>3,600.00</u>	PEI1.5M <u>5,100.00</u>	PEI2.0M <u>6,600.00</u>	PEITERM <u>600.00</u>	PEIM025 <u>37,500.00</u> PEIM050 <u>75,000.00</u>	






Add external ground wire to any interconnect	Retail >>>	<u>20.00</u>
--	------------	--------------





**NOTE: All Wireworld Interconnects are available as 5, 6 & 7 channel sets.**

BALANCED INTERCONNECTS (2 XLR females to 2 XLR males)	Materials & Design		Standard length sets					Bulk cable	
			0.5M	1.0M	1.5M	2.0M	Assembly Charge (Pr.)	50M spool	100M spool
 LUNA 8 (LBI)	Oxygen-Free Copper conductors Composilex 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 26 AWG	Part codes >>> Retail >>>	LBI0.5M <u>95,00</u>	LBI1.0M <u>100,00</u>	LBI1.5M <u>105,00</u>	LBI2.0M <u>110,00</u>	LBITERM <u>90,00</u>	LUIM050 <u>250,00</u>	LUIM100 <u>500,00</u>
 SOLSTICE 8 (BSI)	Silver-plated OFC conductors Composilex 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 26 AWG	Part codes >>> Retail >>>	BSI0.5M <u>112,00</u>	BSI1.0M <u>124,00</u>	BSI1.5M <u>136,00</u>	BSI2.0M <u>148,00</u>	BSITERM <u>100,00</u>	SOIM050 <u>600,00</u>	SOIM100 <u>1.200,00</u>
 OASIS 8 (OBI)	Oxygen-Free Copper conductors Composilex 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 24 AWG	Part codes >>> Retail >>>	OBI0.5M <u>150,00</u>	OBI1.0M <u>170,00</u>	OBI1.5M <u>190,00</u>	OBI2.0M <u>210,00</u>	OBITERM <u>130,00</u>	OAIM050 <u>1.000,00</u>	OAIM100 <u>2.000,00</u>
 EQUINOX 8 (QBI)	OCC-7N copper conductors Composilex 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 24 AWG	Part codes >>> Retail >>>	QBI0.5M <u>190,00</u>	QBI1.0M <u>250,00</u>	QBI1.5M <u>310,00</u>	QBI2.0M <u>370,00</u>	QBITERM <u>130,00</u>	EQIM050 <u>3.000,00</u>	EQIM100 <u>6.000,00</u>
 ECLIPSE 8 (EBI)	OCC-7N copper conductors Composilex 3 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	EBI0.5M <u>400,00</u>	EBI1.0M <u>525,00</u>	EBI1.5M <u>650,00</u>	EBI2.0M <u>775,00</u>	EBITERM <u>275,00</u>	ECIM025 <u>3.125,00</u>	ECIM050 <u>6.250,00</u>
 SILVER ECLIPSE 8 (SBI)	OCC-7N silver-clad copper Composilex 3 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	SBI0.5M <u>550,00</u>	SBI1.0M <u>800,00</u>	SBI1.5M <u>1.050,00</u>	SBI2.0M <u>1.300,00</u>	SBITERM <u>300,00</u>	SEIM025 <u>6.250,00</u>	SEIM050 <u>12.500,00</u>
 GOLD ECLIPSE 8 (GBI)	solid silver conductors Composilex 3 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	GBI0.5M <u>1.050,00</u>	GBI1.0M <u>1.750,00</u>	GBI1.5M <u>2.450,00</u>	GBI2.0M <u>3.150,00</u>	GBITERM <u>350,00</u>	GEIM025 <u>17.500,00</u>	GEIM050 <u>35.000,00</u>
 PLATINUM 8 ECLIPSE (BPI)	OCC-7N solid silver conductors Composilex 3 insulation silver-clad copper alloy contacts Quad DNA Helix cable / 20 AWG	Part codes >>> Retail >>>	BPI0.5M <u>2.100,00</u>	BPI1.0M <u>3.600,00</u>	BPI1.5M <u>5.100,00</u>	BPI2.0M <u>6.600,00</u>	BPITERM <u>600,00</u>	PEIM025 <u>37.500,00</u>	PEIM050 <u>75.000,00</u>
Add external ground wire to any interconnect		Retail >>>	<u>20,00</u>						














SUBWOOFER CABLES (1 RCA male to 1 RCA male)	Materials & Design		Standard length cables			Long length cables	
			4.0M	6.0M	8.0M	e/ meter of cable	Large spool
 Stream (SIM)	Oxygen-Free Copper conductors Composilex 3 insulation 24K gold / brass contacts Dual DNA Helix design / 25 AWG	Part codes >>> Retail >>>	SIM4.0M <u>32,00</u>	SIM6.0M <u>38,00</u>	8.0M <i>n/a</i>	STIM000 <u>4,00</u>	STIM100 <u>300</u>
 LUNA 8 Subwoofer Cable (LSM)	Oxygen-Free Copper conductors Composilex 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LSM4.0M <u>50,00</u>	LSM6.0M <u>60,00</u>	LSM8.0M <u>70,00</u>	LSMM000 <u>5,00</u>	LUTM100 <u>500,00</u>
 SOLSTICE 8 Subwoofer Cable (SSM)	Silver-plated OFC conductors Composilex 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SSM4.0M <u>83,00</u>	SSM6.0M <u>107,00</u>	SSM8.0M <u>131,00</u>	SSMM000 <u>12,00</u>	SOIM100 <u>1.200,00</u>
 OASIS 8 Subwoofer Cable (OSM)	Oxygen-Free Copper conductors Composilex 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OSM4.0M <u>135,00</u>	OSM6.0M <u>175,00</u>	OSM8.0M <u>215,00</u>	OAIM000 <u>20,00</u>	OAIM100 <u>2.000</u>
 EQUINOX 8 Subwoofer Cable (ESM)	OCC-7N copper conductors Composilex 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	ESM4.0M <u>305,00</u>	ESM6.0M <u>425,00</u>	ESM8.0M <u>545,00</u>	EQIM000 <u>60,00</u>	EQIM100 <u>6.000</u>

AUDIO Y-ADAPTERS			
 LUNA Y-Adapter, M-FF		Part Code >>>	LUIYMFF
 LUNA Y-Adapter, F-MM		Part Code >>>	LUIYFMM
		Retail >>>	<u>60,00</u>
 SOLSTICE Y-Adapter, M-FF		Part Code >>>	SOIYMFF
 SOLSTICE Y-Adapter, F-MM		Part Code >>>	SOIYFMM
		Retail >>>	<u>75,00</u>
 OASIS Y-Adapter, M-FF		Part Code >>>	OAIYMFF
 OASIS Y-Adapter, F-MM		Part Code >>>	OAIYFMM
		Retail >>>	<u>110,00</u>










MINI JACK TO MINI JACK (3.5mm stereo mini jack to 2 RCA plugs or 3.5mm to 3.5mm)	Materials Cable design		Standard length cables				
			1.0M	1.5M	2.0M	Assembly MJM to MJM	Assembly MJM to MJF
	Oxygen-Free Copper HDPE insulation 24K gold-plated contacts coaxial design	Mini jack M to 2 RCAs Part codes >>> Retail >>>	n/a n/a	IPA1.5M <u>20,00</u>	n/a n/a	n/a n/a n/a	n/a n/a n/a
	Oxygen-Free Copper Composilex 2 insulation 24K gold-plated contacts DNA Helix design	Mini jack M to 2 RCAs Part codes >>> Mini jack M to M Part codes >>> Mini jack M to F Part codes >>> Retail >>>	<i>Use standard lengths with molded connect</i>			PUMTERM	MPFTERM
	OCC-7N copper Composilex 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes Mini jack M to M Part codes -€25.00 >>> Mini jack M to F Part codes -€25.00 >>> Retail >>>	ECN1.0M NEM1.0M NEF1.0M <u>175,00</u>	ECN1.5M NEM1.5M NEF1.5M <u>200,00</u>	ECN2.0M NEM2.0M NEF2.0M <u>225,00</u>	NEMTERM <u>100,00</u>	NEFTERM <u>100,00</u>
	OCC-7N silver-clad copper Composilex 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes Mini jack M to M Part codes -€25.00 >>> Mini jack M to F Part codes -€25.00 >>> Retail >>>	SEN1.0M NSM1.0M NSF1.0M <u>225,00</u>	SEN1.5M NSM1.5M NSF1.5M <u>275,00</u>	SEN2.0M NSM2.0M NSF2.0M <u>325,00</u>	NSMTERM <u>100,00</u>	NSFTERM <u>100,00</u>
	OCC-7N solid silver Composilex 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes Mini jack M to M Part codes -€45.00 >>> Mini jack M to F Part codes -€45.00 >>> Retail >>>	PEN1.0M NPM1.0M NPF1.0M <u>445,00</u>	PEN1.5M NPM1.5M NPF1.5M <u>570,00</u>	PEN2.0M NPM2.0M NPF2.0M <u>695,00</u>	NPMTERM <u>150,00</u>	NPFTERM <u>150,00</u>







TONEARM CABLES Female tonearm DIN plug to 2 RCA or 2 XLR males	DNA HELIX DESIGN Composilex 3 insulation material		Standard lengths			om length cables
			1.0M	1.5M	2.0M	€ / meter of cable
	<b>Series 8</b> silver-plated OFC conductors	Part codes >>> Retail >>>	SOT1.0M <u>224,00</u>	SOT1.5M <u>236,00</u>	SOT2.0M <u>248,00</u>	SOIM000 <u>12,00</u>
	<b>Series 8</b> OCC-7N copper conductors	Part codes >>> Retail >>>	ECT1.0M <u>420,00</u>	ECT1.5M <u>480,00</u>	ECT2.0M <u>540,00</u>	MEIM000 <u>60,00</u>
	<b>Series 8</b> OCC-7N silver-clad copper conductors	Part codes >>> Retail >>>	SET1.0M <u>540,00</u>	SET1.5M <u>660,00</u>	SET2.0M <u>780,00</u>	MSEM000 <u>120,00</u>
	<b>Series 8</b> OCC-7N solid silver conductors	Part codes >>> Retail >>>	PET1.0M <u>1.200,00</u>	PET1.5M <u>1.550,00</u>	PET2.0M <u>1.900,00</u>	MPIM000 <u>350,00</u>

**HEADPHONE CABLES NO LONGER AVAILABLE**

STANDARD SPEAKER CABLES (spades are standard, bananas optional) SpeakOn / 1/4" optional	Materials & Design		Standard length pairs				Bulk cable	
			2.0M	2.5M	3.0M	5.0M	Small spool	Large spool
 HORIZON (HOS)	16 AWG/1.25mm <sup>2</sup> 2 flat oxygen-free copper conductors Flexi-Flat design gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	HOS2.0M <u>90.00</u>	HOS2.5M <u>95.00</u>	HOS3.0M <u>100.00</u>	HOS5.0M <u>120.00</u>	HOSM100 <u>500.00</u>	n/a n/a
 STREAM 8 (STS)	16 AWG/1.25mm <sup>2</sup> oxygen-free copper conductors Dual DNA Helix design - Composilex 3 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	STS2.0M <u>136.00</u>	STS2.5M <u>145.00</u>	STS3.0M <u>154.00</u>	STS5.0M <u>190.00</u>	STSM075 <u>675.00</u>	n/a n/a
 Helicon 16 OFC (HES)	16 AWG/1.25mm <sup>2</sup> oxygen-free copper conductors Dual DNA Helix design - Composilex 3 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	HES2.0M <u>127.00</u>	HES2.5M <u>135.00</u>	HES3.0M <u>143.00</u>	HES5.0M <u>175.00</u>	HESM100 <u>800.00</u>	n/a n/a
 Helicon 16 OCC (HCS)	16 AWG/1.25mm <sup>2</sup> OCC-7N copper conductors Dual DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	HCS2.0M <u>260.00</u>	HCS2.5M <u>295.00</u>	HCS3.0M <u>330.00</u>	HCS5.0M <u>470.00</u>	HCSM100 <u>3,500.00</u>	n/a n/a
 LUNA 8 (LUS)	14 AWG/2mm <sup>2</sup> oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	LUS2.0M <u>188.00</u>	LUS2.5M <u>200.00</u>	LUS3.0M <u>212.00</u>	LUS5.0M <u>260.00</u>	LUSM025 <u>300.00</u>	LUSM075 <u>900.00</u>
 SOLSTICE 8 (SOS)	13 AWG/2.5mm <sup>2</sup> oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	SOS2.0M <u>214.00</u>	SOS2.5M <u>230.00</u>	SOS3.0M <u>246.00</u>	SOS5.0M <u>310.00</u>	SOSM025 <u>400.00</u>	SOSM075 <u>1,200.00</u>
 OASIS 8 (OAS)	11 AWG/4mm <sup>2</sup> oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	OAS2.0M <u>370.00</u>	OAS2.5M <u>400.00</u>	OAS3.0M <u>430.00</u>	OAS5.0M <u>550.00</u>	OASM025 <u>750.00</u>	OASM050 <u>1,500.00</u>
 EQUINOX 8 (EQS)	11 AWG/4mm <sup>2</sup> OCC-7N copper conductors Quad DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	EQS2.0M <u>730.00</u>	EQS2.5M <u>850.00</u>	EQS3.0M <u>970.00</u>	EQS5.0M <u>1,450.00</u>	EQSM025 <u>3,000.00</u>	EQSM050 <u>6,000.00</u>
 MINI ECLIPSE 8 (MES)	13 AWG/2.5mm <sup>2</sup> OCC-7N copper conductors Quad DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	MES2.0M <u>610.00</u>	MES2.5M <u>700.00</u>	MES3.0M <u>790.00</u>	MES5.0M <u>1,150.00</u>	MESM050 <u>4,500.00</u>	MESM100 <u>9,000.00</u>
 ECLIPSE 8 (ECS)	9 AWG/6mm <sup>2</sup> OCC-7N copper conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	ECS2.0M <u>1,920.00</u>	ECS2.5M <u>2,250.00</u>	ECS3.0M <u>2,580.00</u>	ECS5.0M <u>3,900.00</u>	ECSM025 <u>8,250.00</u>	ECSM040 <u>13,200.00</u>
 SILVER ECLIPSE 8 (SES)	9 AWG/6mm <sup>2</sup> OCC-7N silver-clad copper conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	SES2.0M <u>3,680.00</u>	SES2.5M <u>4,450.00</u>	SES3.0M <u>5,220.00</u>	SES5.0M <u>8,300.00</u>	SESM025 <u>19,250.00</u>	SESM040 <u>30,800.00</u>
 GOLD ECLIPSE 8 (GES)	9 AWG/6mm <sup>2</sup> solid silver conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	GES2.0M <u>10,700.00</u>	GES2.5M <u>13,200.00</u>	GES3.0M <u>15,700.00</u>	GES5.0M <u>25,700.00</u>	GESM025 <u>62,500.00</u>	GESM040 <u>100,000.00</u>
 PLATINUM ECLIPSE 8 (PES)	8 AWG/8mm <sup>2</sup> OCC-7N solid silver conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	PES2.0M <u>20,000.00</u>	PES2.5M <u>24,800.00</u>	PES3.0M <u>29,600.00</u>	PES5.0M <u>48,800.00</u>	PESM020 <u>96,000.00</u>	PESM040 <u>192,000.00</u>




BIWIRED SPEAKER CABLES (spades standard, banana plugs optional) SpeakON / 1/4" optional	Materials & Design		Standard length pairs					Bulk cable	
			2.0M	2.5M	3.0M	5.0M	Biamp+Biwire Charge (Pr.)	Small spool	Large spool
 LUNA 8 (LUB) CL3 / FT4	14 AWG/2mm <sup>2</sup> oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	LUB2.0M <u>228,00</u>	LUB2.5M <u>240,00</u>	LUB3.0M <u>252,00</u>	LUB5.0M <u>300,00</u>	LUBBTERM <u>225,00</u>	LUSM050 <u>600,00</u>	LUSM075 <u>900,00</u>
 SOLSTICE 8 (SOB) CL3 / FT4	13 AWG/2.5mm <sup>2</sup> oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	SOB2.0M <u>264,00</u>	SOB2.5M <u>280,00</u>	SOB3.0M <u>296,00</u>	SOB5.0M <u>360,00</u>	SOBBTERM <u>250,00</u>	SOSM025 <u>400,00</u>	SOSM075 <u>1.200,00</u>
 OASIS 8 (OAB) CL3 / FT4	11 AWG/4mm <sup>2</sup> oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	OAB2.0M <u>470,00</u>	OAB2.5M <u>500,00</u>	OAB3.0M <u>530,00</u>	OAB5.0M <u>650,00</u>	OABBTERM <u>450,00</u>	OASM025 <u>750,00</u>	OASM050 <u>1.500,00</u>
 EQUINOX 8 (EQB) CL3 / FT4	11 AWG/4mm <sup>2</sup> OCC-7N copper conductors Quad DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	EQB2.0M <u>830,00</u>	EQB2.5M <u>950,00</u>	EQB3.0M <u>1.170,00</u>	EQB5.0M <u>1.550,00</u>	EQBBTERM <u>450,00</u>	EQSM025 <u>3.000,00</u>	EQSM050 <u>6.000,00</u>
 MINI ECLIPSE 8 (MEB) CL3 / FT4	13 AWG/2.5mm <sup>2</sup> OCC-7N copper conductors Quad DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	MEB2.0M <u>710,00</u>	MEB2.5M <u>800,00</u>	MEB3.0M <u>890,00</u>	MEB5.0M <u>1.250,00</u>	MEBBTERM <u>450,00</u>	MESM050 <u>4.500,00</u>	MESM100 <u>9.000,00</u>
 ECLIPSE 8 (ECB) CL3 / FT4	9 AWG/6mm <sup>2</sup> OCC-7N copper conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	ECB2.0M <u>2.120,00</u>	ECB2.5M <u>2.450,00</u>	ECB3.0M <u>2.780,00</u>	ECB5.0M <u>4.100,00</u>	ECBBTERM <u>1.000,00</u>	ECSM025 <u>8.250,00</u>	ECSM040 <u>13.200,00</u>
 SILVER ECLIPSE 8 (SEB) CL3 / FT4	9 AWG/6mm <sup>2</sup> OCC-7N silver-clad copper conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	SEB2.0M <u>3.880,00</u>	SEB2.5M <u>4.650,00</u>	SEB3.0M <u>5.420,00</u>	SEB5.0M <u>8.500,00</u>	SEBBTERM <u>1.000,00</u>	SESM025 <u>19.250,00</u>	SESM040 <u>30.800,00</u>
 GOLD ECLIPSE 8 (GEB) CL3 / FT4	9 AWG/6mm <sup>2</sup> solid silver conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	GEB2.0M <u>10.900,00</u>	GEB2.5M <u>13.400,00</u>	GEB3.0M <u>15.900,00</u>	GEB5.0M <u>25.900,00</u>	GEBBTERM <u>1.100,00</u>	GESM025 <u>62.500,00</u>	GESM040 <u>100.000,00</u>
 PLATINUM ECLIPSE 8 (PEB) CL3 / FT4	8 AWG/8mm <sup>2</sup> OCC-7N solid silver conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	PEB2.0M <u>20.200,00</u>	PEB2.5M <u>25.000,00</u>	PEB3.0M <u>29.800,00</u>	PEB5.0M <u>49.000,00</u>	PEBBTERM <u>1.250,00</u>	PESM020 <u>96.000,00</u>	PESM040 <u>192.000,00</u>

BIWIRED JUMPERS (Spades are standard, banana plugs optional, 6 inches long)			
 OASIS Biwire Jumpers (set of 4)		Part code >>> Retail >>>	JUMPOAS <u>110,00</u>
 EQUINOX Biwire Jumpers (set of 4)		Part code >>> Retail >>>	JUMPEQS <u>150,00</u>
 ECLIPSE Biwire Jumpers (set of 4)		Part code >>> Retail >>>	JUMPECS <u>200,00</u>
 SILVER ECLIPSE Biwire Jumpers (set of 4)		Part code >>> Retail >>>	JUMPSES <u>250,00</u>
 GOLD ECLIPSE Biwire Jumpers (set of 4)		Part code >>> Retail >>>	JUMPGES <u>300,00</u>
 PLATINUM ECLIPSE Biwire Jumpers (set of 4)		Part code >>> Retail >>>	JUMPPES <u>600,00</u>

MINI-POWER CONDITIONING CORDS Mini Standard: US, EU wall plug to IEC C7 (Figure 8); UK termination available for €10 upcharge.	Materials & Design (IEC C7 angle adapter ADPC7C8 is included)		Standard Lengths		
			1.0M	1.5M	2.0M
 MINI-STRATUS Power Cord (MSP)	15 AWG / 1.4mm <sup>2</sup> oxygen-free copper conductors Fluxfield cable design - Comosilex 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	MSP1.0M <u>70,00</u>	MSP1.5M <u>80,00</u>	MSP2.0M <u>90,00</u>
 MINI-ELECTRA Power Cord (MEP)	15 AWG / 1.4mm <sup>2</sup> OCC-7N copper conductors Fluxfield cable design - Comosilex 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	MEP1.0M <u>160,00</u>	MEP1.5M <u>200,00</u>	MEP2.0M <u>240,00</u>

POWER CONDITIONING CORDS Standard: US,EU,UK wall plug to IEC C13. C19 or PowerCON custom termination is available for an upcharge.	Materials & Design Ultra-quiet. Flexible flat design bends and coils easily. Longer lengths are more effective.		Standard Lengths			
			1.0M	1.5M	2.0M	3.0M
 STRATUS 2024 Power Cord (STP) <b>NEW !</b>	12 AWG/3mm <sup>2</sup> oxygen-free copper conductors Fluxfield cable design - Comosilex 5 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	STP1.0M EU-X <u>130,00</u>	STP1.5M EU-X <u>155,00</u>	STP2.0M EU-X <u>180,00</u>	STP3.0M EU-X <u>230,00</u>
 AURORA 2024 Power Cord (AUP) <b>NEW !</b>	12 AWG/3mm <sup>2</sup> silver-clad OFC conductors Fluxfield cable design - Comosilex 5 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	AUP1.0M EU-X <u>180,00</u>	AUP1.5M EU-X <u>220,00</u>	AUP2.0M EU-X <u>260,00</u>	AUP3.0M EU-X <u>340,00</u>
 ELECTRA 2024 Power Cord (ELP) <b>NEW !</b>	12 AWG/3mm <sup>2</sup> OCC-7N copper conductors Fluxfield cable design - Comosilex 5 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	ELP1.0M EU-X <u>310,00</u>	ELP1.5M EU-X <u>395,00</u>	ELP2.0M EU-X <u>480,00</u>	ELP3.0M EU-X <u>650,00</u>
 SILVER ELECTRA 2024 Power Cord (SEP) <b>NEW !</b>	12 AWG/3mm <sup>2</sup> OCC-7N silver-clad copper conductors Fluxfield cable design - Comosilex 5 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	SEP1.0M EU-X <u>525,00</u>	SEP1.5M EU-X <u>670,00</u>	SEP2.0M EU-X <u>800,00</u>	SEP3.0M EU-X <u>1,075,00</u>
 PLATINUM ELECTRA 2024 Power Cord (PEP) <b>NEW !</b>	12 AWG/3mm <sup>2</sup> OCC-7N solid silver conductors Fluxfield cable design - Comosilex 5 insulation OCC silver-clad copper contacts	Part codes >>> Retail >>>	PEP1.0M EU-X <u>2,400,00</u>	PEP1.5M EU-X <u>3,200,00</u>	PEP2.0M EU-X <u>4,000,00</u>	PEP3.0M EU-X <u>5,600,00</u>

POWER CORD CONNECTOR UPGRADE Standard & custom lengths	10 AMP IEC C13		Part codes >>> Retail >>>	PCSVRIEC <u>60,00</u>
<ul style="list-style-type: none"> <li>Silver-clad copper alloy contacts</li> <li>Flat clamp for STP / AUP / ELP / SEP only</li> <li>Standard lengths may be upgraded with this connector</li> <li>All custom length cords and standard length upgraded cords will be priced according to the custom pricing chart above.</li> </ul>			Part codes >>> Retail >>>	PCSVREU <u>60,00</u>
			Part codes >>> Retail >>>	PCSVRUS <u>60,00</u>
			Part codes >>> Retail >>>	PCSVR16AMP <u>60,00</u>
POWER CORD CONNECTOR UPGRADE Standard & custom lengths	16 AMP IEC C19		Part codes >>> Retail >>>	PCOCCIEC <u>120,00</u>
<ul style="list-style-type: none"> <li>OCC 7N Silver-clad contacts</li> <li>Flat clamp for PEP</li> <li>All Platinum Electra Power Cord are assembled with these connectors</li> <li>Available for European Schuko and US wall plugs</li> </ul>			Part codes >>> Retail >>>	PCOCCEU <u>120,00</u>
			Part codes >>> Retail >>>	PCOCCUS <u>120,00</u>







POWER STRIP			Part code >>> Retail >>>	MATRIX <u>120,00</u>
MATRIX 2 OFC, star-wired, rack mountable, shielded power cord extender				






Unique circuit filters noise and absorbs spikes without MOV's, for superior sound quality.







**SPEAKER CABLE CONNECTORS**  
(shrink tubing not included)

SET OF 8 UNI-TERM GOLD SPADES		Part code >>> Retail >>>	SPDGUTM08 <u>80,00</u>
SET OF 16 UNI-TERM GOLD SPADES		Part code >>> Retail >>>	SPDGUTM16 <u>160,00</u>
SET OF 8 UNI-TERM SILVER SPADES		Part code >>> Retail >>>	SPDSUTM08 <u>96,00</u>
SET OF 16 UNI-TERM SILVER SPADES		Part code >>> Retail >>>	SPDSUTM16 <u>192,00</u>

SET OF 8 UNI-TERM GOLD BANANAS	
SET OF 16 UNI-TERM GOLD BANANAS	
SET OF 8 UNI-TERM SILVER BANANAS	
SET OF 16 UNI-TERM SILVER BANANAS	







UNI-TERM SOCKETS - EXCHANGE BANANAS AND SPADES			
SOCKET Single with Set Screw		Part code >>> Retail >>>	SOCKET <u>4,00</u>
SET OF 16 GOLD BANANAS FOR EXCHANGING		Part code >>> Retail >>>	BANGEX16 <u>96,00</u>
SET OF 16 SILVER BANANAS FOR EXCHANGING		Part code >>> Retail >>>	BANSEX16 <u>128,00</u>
SET OF 16 GOLD SPADES FOR EXCHANGING		Part code >>> Retail >>>	SPDGEX16 <u>96,00</u>
SET OF 16 SILVER SPADES FOR EXCHANGING		Part code >>> Retail >>>	SPDSEX16 <u>128,00</u>


SILVER LOCKING BANANA PLUGS (4-pack) Silver-clad Brass	
GOLD 10ga. SET SCREW / BANANA (4-pack) Gold / Silver / Copper Alloy	
GOLD 10ga. SET SCREW / BANANA (50-pack) Gold / Silver / Copper Alloy	
GOLD 10ga. SET SCREW / BANANA (50-pack) NO SHELL, NO FERRULE Gold / Silver / Copper Alloy	

1/4 INCH (6.3mm) UNI-TERM SPADE LUGS			
	Dimensions		
GOLD-PLATED OFC 1/4" SPADE Threaded for UNI-TERM and CRIMPABLE	.25" (6.3mm) inside .49" (12mm) outside	Part code >>> Retail >>>	SPDG000 <u>6,00</u>
GOLD-PLATED OFC 1/4" SPADE (8-pack)	 Threaded	Part code >>> Retail >>>	SPDG008 <u>48,00</u>
GOLD-PLATED OFC 1/4" SPADE (50-pack) Bulk price		Part code >>> Retail >>>	SPDG050 <u>250,00</u>
SILVER-CLAD OFC 1/4" SPADE Threaded for UNI-TERM and CRIMPABLE	.25" (6.3mm) inside .49" (12mm) outside	Part code >>> Retail >>>	SPDS000 <u>8,00</u>
SILVER-CLAD OFC 1/4" SPADE (8-pack)	 Threaded	Part code >>> Retail >>>	SPDS008 <u>64,00</u>
SILVER-CLAD OFC 1/4" SPADE (50-pack) Bulk price		Part code >>> Retail >>>	SPDS050 <u>340,00</u>

**TERMINATION KITS for SPEAKER CABLES**

- Single wired (SOS/LUS/STS)
- Bi-wired (SOB/LUB)
- Single wired (OAS)
- Bi-wired (OAB)
- Single wired (EQS)
- Bi-wired (EQB)
- Single wired (MES)
- Bi-wired (MEB)
- Single wired (ECS)
- Bi-wired (ECB)
- Single wired (SES)
- Bi-wired (SEB)
- Single wired (GES)
- Bi-wired (GEB)
- Single wired (PES)
- Bi-wired (PEB)

<b>INTERCONNECT CONNECTORS</b>		(shrink tubing included)	
Gold Tube RCA for LUI / SOI / CRV / UVV		Part code >>> Retail >>>	RCAM6.5MM <u>8,00</u>
Gold Tube RCA pair for LUI / SOI / CRV / UVV		Part code >>> Retail >>>	RCAM6.5PR <u>16,00</u>
Silver Tube RCA for OAI / EQI / STV		Part code >>> Retail >>>	RCAM8.5MM <u>12,00</u>
Silver Tube RCA pair for OAI / EQI / STV		Part code >>> Retail >>>	RCAM8.5PR <u>24,00</u>
Silver Tube RCA for ECI / SEI / GEI / SSV / GSV		Part code >>> Retail >>>	RCAM11MM <u>25,00</u>
Silver Tube RCA pair for ECI / SEI / GEI / SSV / GSV		Part code >>> Retail >>>	RCAM11PR <u>50,00</u>
XLR for OBI & QBI		Part code Female >>> Part code Male >>> Retail >>>	XLRFSVR XLRMSVR <u>15,00</u>
XLR pair for OBI & QBI	1 Male and 1 female	Part code >>> Retail >>>	XLRSVRPR <u>30,00</u>
XLR Reference		Part code Female >>> Part code Male >>> Retail >>>	XLRFREF XLRMREF <u>30,00</u>
XLR Reference pair	1 Male and 1 female	Part code >>> Retail >>>	XLRREFPR <u>60,00</u>
Mini Jack 8.5mm opening small diameter shell		Part code >>> Retail >>>	MJK3.5AL <u>12,00</u>
RJ45 ETHERNET PLUG Field termination shrink included		Part code >>> Retail >>>	RJ45STE <u>25,00</u>

<b>PROGOLD CONTACT TREATMENT</b>			
PROGOLD (2ml. squeeze tube) Improves performance		Part code >>> Retail >>>	PROGOLD <u>9,00</u>
DEOXIT (2ml. squeeze tube) cleans contacts thoroughly		Part code >>> Retail >>>	DEOXIT <u>8,00</u>
Rejuvenation Kit 1 - Deoxit Wipe / 1 - ProGold Wipe /	1 - Cleaning Cloth	Part code >>> Retail >>>	REJUVKIT <u>10,00</u>