




WIREWORLD PRICING euro

February 9, 2026

www.dsmaudio.be



This pricelist cancels and replaces all previous ones








				0.6M	1.0M	2.0M	3.0M	5.0M
HDMI® CABLES		Specifications						
	RADIUS 48 HDMI (RAH) UL-CL2 / CSA	OFC conductors Triple-shielded design COMPOSILEX 3 insulation Ethernet / eARC / HDR UHS Certified Ultra 8K / 48Gbps	Speed >>> Retail >>>	RAH0.6M-48 48G 45,00	RAH1.0M-48 48G 50,00	RAH2.0M-48 48G 60,00	RAH3.0M-48 48G 70,00	RAH5.0M-48 48G 120,00
	SPHERE 48 HDMI (SPH) UL-CL2 / CSA	OFC conductors Uni-Path Design COMPOSILEX 3 insulation Ethernet / eARC / HDR Ultra 8K / 48G / HDCP2.3	Speed >>> Retail >>>	SPH0.6M-48 48G 72,00	SPH1.0M-48 48G 88,00	SPH2.0M-48 48G 110,00	SPH3.0M-48 48G 150,00	SPH5.0M-48 48G 250,00
	SILVER SPHERE 48 HDMI (SSP)	Silver-clad OFC conductors Uni-Path Design COMPOSILEX 3 insulation Ethernet / eARC / HDR Ultra 8K / 48G / HDCP2.3	Speed >>> Retail >>>	SSP0.6M-48 48G 280,00	SSP1.0M-48 48G 350,00	SSP2.0M-48 48G 450,00	SSP3.0M-48 48G 550,00	n/a
	PLATINUM STARLIGHT 48 HDMI (PSH)	Solid Silver conductors Uni-Path Design COMPOSILEX 3 insulation Isolated & Filtered Power Conductor Ultra 8K / 48G / eARC / HDR / HDCP2.3	Speed >>> Retail >>>	PSH0.6M-48 48G 900,00	PSH1.0M-48 48G 1.200,00	PSH2.0M-48 48G 1.800,00	PSH3.0M-48 48G 2.400,00	n/a







				5.0M	10.0M	15.0M	20.0M	30.0M
FIBER OPTIC HDMI® CABLES		Specifications						
	STARLIGHT 48 OPTICAL HDMI (SOH) RATED UL-CL2/FT4	VIVIDTECH NR System II-VI American Lasers Silicon-Line German chipset UHS Certified Ultra 8K / 48Gbps Ethernet / eARC / HDR / HDCP2.3 UL-CL2/FT4 inwall rated	Speed >>> Retail >>>	SOH5.0M-48 48G 380,00	SOH10.0M-48 48G 440,00	SOH15.0M-48 48G 500,00	SOH20.0M-48 48G 550,00	SOH30.0M-48 48G 650,00
	STELLAR 48 OPTICAL HDMI (STH) PLENUM RATED UL-CMP/FT6	VIVIDTECH NR System II-VI American Lasers Silicon-Line German chipset UHS Certified Ultra 8K / 48Gbps Ethernet / eARC / HDR / HDCP2.3 UL-CLP/FT6 commercial inwall rated	WHILE SUPPLIES LAST! Speed >>> Retail >>>	STH5.0M-48 48G 380,00	STH10.0M-48 48G 440,00	STH15.0M-48 48G 500,00	STH20.0M-48 48G N/A	STH30.0M-48 48G 650,00











The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

ETHERNET CABLES		Materials & Design		Standard length cables				
Patented flat design isolates network noise Longer lengths provide greater improvements				1.0M	2.0M	3.0M	5.0M	10.0M
	CHROMA 10 TWINAX ETHERNET (CHE)	23AWG Oxygen-Free Copper COMPOSILEX 5 insulation Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance	Part codes >>> Retail >>>	CHE1.0M 130,00	CHE2.0M 160,00	CHE3.0M 190,00	CHE5.0M 250,00	CHE10.0M 400,00
	STARLIGHT 10 TWINAX ETHERNET (STE)	23AWG Silver-clad Oxygen-Free Copper COMPOSILEX 5 insulation Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance	Part codes >>> Retail >>>	STE1.0M 350,00	STE2.0M 460,00	STE3.0M 570,00	STE5.0M 790,00	STE10.0M 1.340,00
	PLATINUM STARLIGHT 10 TWINAX ETHERNET (PSE)	23AWG OCC-7N solid silver COMPOSILEX 5 insulation Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance	Part codes >>> Retail >>>	PSE1.0M 1.200,00	PSE2.0M 1.900,00	PSE3.0M 2.600,00	PSE5.0M 4.000,00	PSE10.0M 7.500,00

















USB 2.0 / 3.0 / 3.1 DIGITAL AUDIO		Design	Materials		0.3M	0.6M	1.0M	2.0M	3.0M
	CHROMA 8 USB2.0 A to B (C2AB)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	C2AB0.6M 35,00	C2AB1.0M 39,00	C2AB2.0M 48,00	C2AB3.0M 55,00
	CHROMA 8 USB2.0 C to B (C2CB)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	n/a	C2CB1.0M 39,00	n/a	n/a
	CHROMA 8 USB3.1 C to C (C31C)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	C31C0.6M 65,00	C31C1.0M 70,00	n/a	n/a
	STARLIGHT 8 USB2.0 A to B (S2AB)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	S2AB0.6M 105,00	S2AB1.0M 130,00	S2AB2.0M 160,00	S2AB3.0M 190,00
	STARLIGHT 8 USB2.0 C to B (S2CB)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	n/a	S2CB1.0M 130,00	n/a	n/a
	STARLIGHT 8 USB3.1 C to C (S31C)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	S31C0.6M 150,00	S31C1.0M 180,00	n/a	n/a
	PLATINUM STARLIGHT 8 USB2.0 A to B (P2AB)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver COMPOSILEX 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>	P2AB0.3M 550,00	P2AB0.6M 600,00	P2AB1.0M 700,00	P2AB2.0M 900,00	P2AB3.0M 1,100,00























COAXIAL DIGITAL AUDIO (75 ohms, RCA plugs, BNC's optional)		Materials	Cable Design		Standard length cables					
					0.5M	1.0M	1.5M	2.0M	3.0M	6.0M
	CHROMA 10 (CRV)	Oxygen-Free Copper COMPOSILEX 5 insulation 24K gold / OFC contacts	75-ohm DNA Helix 25 AWG	Part codes >>> Retail >>>	CRV0.5M 66,00	CRV1.0M 70,00	CRV1.5M 74,00	CRV2.0M 78,00	CRV3.0M 86,00	CRV6.0M 110,00
	ULTRAVIOLET 10 (UVV)	silver-plated OFC COMPOSILEX 5 insulation 24K gold / OFC contacts	75-ohm DNA Helix 25 AWG	Part codes >>> Retail >>>	UVV0.5M 92,50	UVV1.0M 100,00	UVV1.5M 107,50	UVV2.0M 115,00	UVV3.0M 130,00	UVV6.0M 175,00
	STARLIGHT 10 (STV)	silver-clad OFC COMPOSILEX 5 insulation silver-clad OFC contacts	75-ohm DNA Helix 26 AWG	Part codes >>> Retail >>>	STV0.5M 150,00	STV1.0M 180,00	STV1.5M 210,00	STV2.0M 240,00	STV3.0M 300,00	STV6.0M 480,00
	SILVER STARLIGHT 10 (SSV)	OCC-7N silver-clad copper COMPOSILEX 5 insulation silver-clad OFC contacts	75-ohm DNA Helix 24 AWG	Part codes >>> Retail >>>	SSV0.5M 325,00	SSV1.0M 400,00	SSV1.5M 475,00	SSV2.0M 550,00	SSV3.0M 700,00	SSV6.0M 1,150,00
	GOLD STARLIGHT 10 (GSV)	Solid Silver COMPOSILEX 5 insulation silver-clad OFC contacts	75-ohm DNA Helix 24 AWG	Part codes >>> Retail >>>	GSV0.5M 700,00	GSV1.0M 1,100,00	GSV1.5M 1,500,00	GSV2.0M 1,900,00	GSV3.0M 2,700,00	GSV6.0M 5,100,00
	PLATINUM STARLIGHT 10 (PSV)	OCC-7N solid silver COMPOSILEX 5 insulation silver-clad OFC contacts Carbon Fiber plugs	75-ohm DNA Helix 22 AWG	Part codes >>> Retail >>>	PSV0.5M 1,400,00	PSV1.0M 2,300,00	PSV1.5M 3,200,00	PSV2.0M 4,100,00	PSV3.0M 5,900,00	PSV6.0M 11,300,00




BALANCED DIGITAL AUDIO CABLES (110-ohm, XLR female to XLR male)		Materials	Cable Design		Standard length cables					
					0.5M	1.0M	1.5M	2.0M	3.0M	6.0M
	MICRO-ECLIPSE 10 (MEA)	OCC-7N Copper COMPOSILEX 5 insulation silver-clad copper alloy contacts	110-ohm Tri-DNA Helix 26 AWG	Part codes >>> Retail >>>	MEA0.5M 187,50	MEA1.0M 225,00	MEA1.5M 262,50	MEA2.0M 300,00	MEA3.0M 375,00	MEA6.0M 600,00
	MICRO-SILVER ECLIPSE 10 (MSA)	OCC-7N Silver-Clad conductors COMPOSILEX 5 insulation silver-clad copper alloy contacts	110-ohm Tri-DNA Helix 26 AWG	Part codes >>> Retail >>>	MSA0.5M 275,00	MSA1.0M 350,00	MSA1.5M 425,00	MSA2.0M 500,00	MSA3.0M 650,00	MSA6.0M 1,100,00
	MICRO-PLATINUM ECLIPSE 10 (MPA)	OCC-7N solid silver conductors COMPOSILEX 5 insulation silver-clad copper alloy contacts	110-ohm Tri-DNA Helix 26 AWG	Part codes >>> Retail >>>	MPA0.5M 475,00	MPA1.0M 700,00	MPA1.5M 925,00	MPA2.0M 1,150,00	MPA3.0M 1,600,00	MPA6.0M 2,950,00
	PLATINUM STARLIGHT 10 (PSA)	OCC-7N solid silver conductors COMPOSILEX 5 insulation silver-clad copper alloy contacts	110-ohm Tri-DNA Helix 22 AWG	Part codes >>> Retail >>>	PSA0.5M 1,400,00	PSA1.0M 2,300,00	PSA1.5M 3,200,00	PSA2.0M 4,100,00	PSA3.0M 5,900,00	PSA6.0M 11,300,00






TOSLINK OPTICAL DIGITAL AUDIO		Conductor Material		0.5M	1.0M	2.0M	3.0M	5.0M	8.0M
	SUPERNOVA Toslink Optical (STO)	338 borosilicate glass fibers	Part codes >>> Retail >>>	STO0.5M 300,00	STO1.0M 350,00	STO2.0M 425,00	STO3.0M 500,00	STO5.0M 700,00	STO8.0M 850,00
	SUPERNOVA Toslink to 3.5mm connector (SMO)	338 borosilicate glass fibers	Part codes >>> Retail >>>	SMO0.5M 300,00	SMO1.0M 350,00	SMO2.0M 425,00	n/a n/a	n/a n/a	n/a n/a
	NOVA Toslink Optical (NTO)	Acrylic monofilament	Part codes >>> Retail >>>	NTO0.5M 40,00	NTO1.0M 50,00	NTO2.0M 60,00	NTO3.0M 70,00	NTO5.0M 80,00	n/a n/a
	NOVA Toslink to 3.5mm connector (NMO)	Acrylic monofilament	Part codes >>> Retail >>>	NMO0.5M 40,00	NMO1.0M 50,00	NMO2.0M 60,00	NMO3.0M 70,00	n/a n/a	n/a n/a
		WHILE SUPPLIES LAST							




NOTE: All Wireworld Interconnects are available as 5, 6 & 7 channel sets.







AUDIO INTERCONNECT PAIRS (2 RCA males to 2 RCA males)		Materials & Design		Standard length pairs							
				0.5M	0.75M	1.0M	1.5M	2.0M	3.0M	6.0M	
	Stream 10 (STI) RCA to RCA	Oxygen-Free Copper conductors COMPOSILEX 5 insulation 24K gold / brass contacts Dual DNA Helix design / 25 AWG	Part codes >>> Retail >>>	STI0.5M 30,00		STI1.0M 36,00	n/a	STI2.0M 42,00	STI3.0M 48,00	n/a	
	LUNA 10 (LUI) RCA to RCA	Oxygen-Free Copper conductors COMPOSILEX 5 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LUI0.5M 84,00		LUI1.0M 90,00	LUI1.5M 96,00	LUI2.0M 102,00	LUI3.0M 114,00	LUI6.0M 150,00	
	LUNA 10 (LUI-RX) RCA to XLRM	Oxygen-Free Copper conductors COMPOSILEX 5 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LUI0.5M-RX 94,00		LUI1.0M-RX 100,00	LUI1.5M-RX 106,00	LUI2.0M-RX 112,00	LUI3.0M-RX 124,00	LUI6.0M-RX 160,00	
	LUNA 10 (LUI-XR) XLR to RCA	Oxygen-Free Copper conductors COMPOSILEX 5 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LUI0.5M-XR 94,00		LUI1.0M-XR 100,00	LUI1.5M-XR 106,00	LUI2.0M-XR 112,00	LUI3.0M-XR 124,00	LUI6.0M-XR 160,00	
	LUNA 10 (LUI-G) RCA to RCA w/ GROUND	Oxygen-Free Copper conductors COMPOSILEX 5 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LUI0.5M-G 104,00		LUI1.0M-G 110,00	LUI1.5M-G 116,00	LUI2.0M-G 122,00	LUI3.0M-G 134,00	LUI6.0M-G 170,00	
	LUNA 10 (LBI) XLR to XLR	Oxygen-Free Copper conductors COMPOSILEX 5 insulation silver-clad copper alloy contacts Tri DNA Helix design / 26 AWG	Part codes >>> Retail >>>	LBI0.5M 104,00		LBI1.0M 110,00	LBI1.5M 116,00	LBI2.0M 122,00	LBI3.0M 134,00	LBI6.0M 170,00	
	SOLSTICE 10 (SOI) RCA to RCA	Silver-plated OFC conductors COMPOSILEX 5 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SOI0.5M 111,00		SOI1.0M 125,00	SOI1.5M 139,00	SOI2.0M 153,00	SOI3.0M 181,00	SOI6.0M 265,00	
	SOLSTICE 10 (SOI-RX) RCA to XLRM	Silver-plated OFC conductors COMPOSILEX 5 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SOI0.5M-RX 121,00		SOI1.0M-RX 135,00	SOI1.5M-RX 149,00	SOI2.0M-RX 163,00	SOI3.0M-RX 191,00	SOI6.0M-RX 275,00	
	SOLSTICE 10 (SOI-XR) XLR to RCA	Silver-plated OFC conductors COMPOSILEX 5 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SOI0.5M-XR 121,00		SOI1.0M-XR 135,00	SOI1.5M-XR 149,00	SOI2.0M-XR 163,00	SOI3.0M-XR 191,00	SOI6.0M-XR 275,00	
	SOLSTICE 10 (SOI-G) RCA to RCA w/ GROUND	Silver-plated OFC conductors COMPOSILEX 5 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SOI0.5M-G 131,00		SOI1.0M-G 145,00	SOI1.5M-G 159,00	SOI2.0M-G 173,00	SOI3.0M-G 201,00	SOI6.0M-G 285,00	
	OASIS 10 (OAI) RCA to RCA	Silver-plated OFC conductors COMPOSILEX 5 insulation silver-clad copper alloy contacts Tri DNA Helix design / 26 AWG	Part codes >>> Retail >>>	BSI0.5M 131,00		BSI1.0M 145,00	BSI1.5M 159,00	BSI2.0M 173,00	BSI3.0M 201,00	BSI6.0M 285,00	
	OASIS 10 (OAI-RX) RCA to XLRM	Oxygen-Free Copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OAI0.5M 164,00		OAI1.0M 188,00	OAI1.5M 212,00	OAI2.0M 236,00	OAI3.0M 284,00	OAI6.0M 428,00	
	OASIS 10 (OAI-RX) RCA to XLRM	Oxygen-Free Copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OAI0.5M-RX 164,00		OAI1.0M-RX 188,00	OAI1.5M-RX 212,00	OAI2.0M-RX 236,00	OAI3.0M-RX 284,00	OAI6.0M-RX 428,00	
	OASIS 10 (OAI-XR) XLR to RCA	Oxygen-Free Copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OAI0.5M-XR 164,00		OAI1.0M-XR 188,00	OAI1.5M-XR 212,00	OAI2.0M-XR 236,00	OAI3.0M-XR 284,00	OAI6.0M-XR 428,00	
	OASIS 10 (OAI-G) RCA to RCA w/ GROUND	Oxygen-Free Copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OAI0.5M-G 184,00		OAI1.0M-G 208,00	OAI1.5M-G 232,00	OAI2.0M-G 256,00	OAI3.0M-G 304,00	OAI6.0M-G 448,00	
	OASIS 10 (OBI) XLR to XLR	Oxygen-Free Copper conductors COMPOSILEX 5 insulation silver-clad copper alloy contacts Tri DNA Helix design / 24 AWG	Part codes >>> Retail >>>	OBI0.5M 164,00		OBI1.0M 188,00	OBI1.5M 212,00	OBI2.0M 236,00	OBI3.0M 284,00	OBI6.0M 428,00	





	OCC-7N copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	EQI0.5M 230,00	EQI1.0M 300,00	EQI1.5M 370,00	EQI2.0M 440,00	EQI3.0M 580,00	EQI6.0M 1,000,00	
	OCC-7N copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	EOI0.5M-RX 230,00	EOI1.0M-RX 300,00	EOI1.5M-RX 370,00	EOI2.0M-RX 440,00	EOI3.0M-RX 580,00	EOI6.0M-RX 1,000,00	
	OCC-7N copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	EQI0.5M-XR 230,00	EQI1.0M-XR 300,00	EQI1.5M-XR 370,00	EQI2.0M-XR 440,00	EQI3.0M-XR 580,00	EQI6.0M-XR 1,000,00	
	OCC-7N copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	EQI0.5M-G 250,00	EQI1.0M-G 320,00	EQI1.5M-G 390,00	EQI2.0M-G 460,00	EQI3.0M-G 600,00	EQI6.0M-G 1,020,00	
	OCC-7N copper conductors COMPOSILEX 5 insulation silver-clad copper alloy contacts Tri DNA Helix design / 24 AWG	Part codes >>> Retail >>>	OBI0.5M 230,00	OBI1.0M 300,00	OBI1.5M 370,00	OBI2.0M 440,00	OBI3.0M 580,00	OBI6.0M 1,000,00	
	OCC-7N copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	ECI0.5M 500,00	ECI0.75M 575,00	ECI1.0M 650,00	ECI1.5M 800,00	ECI2.0M 950,00	ECI3.0M 1,250,00	ECI6.0M 2,150,00
	OCC-7N copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	ECI0.5MRX 500,00	ECI0.75M-RX 575,00	ECI1.0M-RX 650,00	ECI1.5M-RX 800,00	ECI2.0M-RX 950,00	ECI3.0M-RX 1,250,00	ECI6.0M-RX 2,150,00
	OCC-7N copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	ECI0.5M-XR 500,00	ECI0.75M-XR 575,00	ECI1.0M-XR 650,00	ECI1.5M-XR 800,00	ECI2.0M-XR 950,00	ECI3.0M-XR 1,250,00	ECI6.0M-XR 2,150,00
	OCC-7N copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	ECI0.5M-G 520,00	ECI0.75M-G 595,00	ECI1.0M-G 670,00	ECI1.5M-G 820,00	ECI2.0M-G 970,00	ECI3.0M-G 1,270,00	ECI6.0M-G 2,170,00
	OCC-7N copper conductors COMPOSILEX 5 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	EBI0.5M 500,00	EBI0.75M 575,00	EBI1.0M 650,00	EBI1.5M 800,00	EBI2.0M 950,00	EBI3.0M 1,250,00	EBI6.0M 2,150,00
	OCC-7N silver-clad copper COMPOSILEX 5 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	SEI0.5M 690,00	SEI0.75M 840,00	SEI1.0M 990,00	SEI1.5M 1,290,00	SEI2.0M 1,590,00	SEI3.0M 2,190,00	SEI6.0M 3,990,00
	OCC-7N silver-clad copper COMPOSILEX 5 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	SEI0.5M-RX 690,00	SEI0.75M-RX 840,00	SEI1.0M-RX 990,00	SEI1.5M-RX 1,290,00	SEI2.0M-RX 1,590,00	SEI3.0M-RX 2,190,00	SEI6.0M-RX 3,990,00
	OCC-7N silver-clad copper COMPOSILEX 5 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	SEI0.5M-XR 690,00	SEI0.75M-XR 840,00	SEI1.0M-XR 990,00	SEI1.5M-XR 1,290,00	SEI2.0M-XR 1,590,00	SEI3.0M-XR 2,190,00	SEI6.0M-XR 3,990,00
	OCC-7N silver-clad copper COMPOSILEX 5 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	SEI0.5M-G 710,00	SEI0.75M-G 860,00	SEI1.0M-G 1,010,00	SEI1.5M-G 1,310,00	SEI2.0M-G 1,610,00	SEI3.0M-G 2,210,00	SEI6.0M-G 4,010,00
	OCC-7N silver-clad copper COMPOSILEX 5 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	SBI0.5M 690,00	SBI0.75M 840,00	SBI1.0M 990,00	SBI1.5M 1,290,00	SBI2.0M 1,590,00	SBI3.0M 2,190,00	SBI6.0M 3,990,00
	Solid silver conductors COMPOSILEX 5 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	GEI0.5M 1,700,00	GEI0.75M 2,300,00	GEI1.0M 2,900,00	GEI1.5M 4,100,00	GEI2.0M 5,300,00	GEI3.0M 7,700,00	GEI6.0M 14,900,00
	Solid silver conductors COMPOSILEX 5 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	GEI0.5M-RX 1,700,00	GEI0.75M-RX 2,300,00	GEI1.0M-RX 2,900,00	GEI1.5M-RX 4,100,00	GEI2.0M-RX 5,300,00	GEI3.0M-RX 7,700,00	GEI6.0M-RX 14,900,00
	Solid silver conductors COMPOSILEX 5 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	GEI0.5M-XR 1,700,00	GEI0.75M-XR 2,300,00	GEI1.0M-XR 2,900,00	GEI1.5M-XR 4,100,00	GEI2.0M-XR 5,300,00	GEI3.0M-XR 7,700,00	GEI6.0M-XR 14,900,00
	Solid silver conductors COMPOSILEX 5 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	GEI0.5M-G 1,720,00	GEI0.75M-G 2,320,00	GEI1.0M-G 2,920,00	GEI1.5M-G 4,120,00	GEI2.0M-G 5,320,00	GEI3.0M-G 7,720,00	GEI6.0M-G 14,920,00
	Solid silver conductors COMPOSILEX 5 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	GBI0.5M 1,700,00	GBI0.75M 2,300,00	GBI1.0M 2,900,00	GBI1.5M 4,100,00	GBI2.0M 5,300,00	GBI3.0M 7,700,00	GBI6.0M 14,900,00
	OCC-7N solid silver conductors COMPOSILEX 5 insulation carbon fiber plugs / silver-clad OFC contacts Quad DNA Helix design / 17 AWG	Part codes >>> Retail >>>	PEI0.5M 2,900,00	PEI0.75M 3,900,00	PEI1.0M 4,900,00	PEI1.5M 6,900,00	PEI2.0M 8,900,00	PEI3.0M 12,900,00	PEI6.0M 24,900,00
	OCC-7N solid silver conductors COMPOSILEX 5 insulation carbon fiber plugs / silver-clad OFC contacts Quad DNA Helix design / 17 AWG	Part codes >>> Retail >>>	PEI0.5M-RX 2,900,00	PEI0.75M-RX 3,900,00	PEI1.0M-RX 4,900,00	PEI1.5M-RX 6,900,00	PEI2.0M-RX 8,900,00	PEI3.0M-RX 12,900,00	PEI6.0M-RX 24,900,00

	OCC-7N solid silver conductors COMPOSILEX 5 insulation carbon fiber plugs / silver-clad OFC contacts Quad DNA Helix design / 17 AWG	Part codes >>> Retail >>>	PE10.5M-XR 2.900,00	PE10.75M-XR 3.900,00	PE11.0M-XR 4.900,00	PE11.5M-XR 6.900,00	PE12.0M-XR 8.900,00	PE13.0M-XR 12.900,00	PE16.0M-XR 24.900,00
	OCC-7N solid silver conductors COMPOSILEX 5 insulation carbon fiber plugs / silver-clad OFC contacts Quad DNA Helix design / 17 AWG	Part codes >>> Retail >>>	PE10.5M-G 2.920,00	PE10.75M-G 3.920,00	PE11.0M-G 4.920,00	PE11.5M-G 6.920,00	PE12.0M-G 8.920,00	PE13.0M-G 12.920,00	PE16.0M-G 24.920,00
	OCC-7N solid silver conductors COMPOSILEX 5 insulation silver-clad copper alloy contacts Quad DNA Helix cable / 20 AWG	Part codes >>> Retail >>>	BPI0.5M 2.900,00	BPI0.75M 3.900,00	BPI1.0M 4.900,00	BPI1.5M 6.900,00	BPI2.0M 8.900,00	BPI3.0M 12.900,00	BPI6.0M 24.900,00











SUBWOOFER CABLES (1 RCA male to 1 RCA male)	Materials & Design		Standard length cables				
			2.0M	3.0M	4.0M	6.0M	8.0M
	Oxygen-Free Copper conductors COMPOSILEX 5 insulation 24K gold / brass contacts Dual DNA Helix design / 25 AWG	Part codes >>> Retail >>>	n/a	n/a	SIM4.0M 32,00	SIM6.0M 38,00	n/a
	Oxygen-Free Copper conductors COMPOSILEX 5 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LSM2.0M 56,00	LSM3.0M 62,00	LSM4.0M 68,00	LSM6.0M 80,00	LSM8.0M 92,00
	Silver-plated OFC conductors COMPOSILEX 5 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SSM2.0M 81,50	SSM3.0M 95,50	SSM4.0M 109,50	SSM6.0M 137,50	SSM8.0M 165,50
	Oxygen-Free Copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OSM2.0M 123,00	OSM3.0M 147,00	OSM4.0M 171,00	OSM6.0M 219,00	OSM8.0M 267,00
	OCC-7N copper conductors COMPOSILEX 5 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	ESM2.0M 225,00	ESM3.0M 295,00	ESM4.0M 365,00	ESM6.0M 505,00	ESM8.0M 645,00









AUDIO Y-ADAPTERS			
		Part Code >>> Part Code >>> Retail >>>	LUIYMFF LUIYFMM 71,00
		Part Code >>> Part Code >>> Retail >>>	SOIYMFF SOIYFMM 88,00
		Part Code >>> Part Code >>> Retail >>>	OAIYMFF OAIYFMM 125,00







MINI JACK TO MINI JACK (3.5mm stereo mini jack to 2 RCA plugs or 3.5mm to 3.5mm)	Materials Cable design		Standard length cables			
			1.0M	1.5M	2.0M	3.0M
	Oxygen-Free Copper HDPE insulation 24K gold-plated contacts coaxial design	Mini jack M to 2 RCAs Part codes >>> Retail >>>	n/a	IPA1.5M 24,00	n/a	n/a
	Oxygen-Free Copper COMPOSILEX 2 insulation 24K gold-plated contacts DNA Helix design	Mini jack M to 2 RCAs Part codes >>> Mini jack M to M Part codes >>> Mini jack M to F Part codes >>> Retail >>>	n/a	Pulse standard lengths with molded connectors		
	COMPOSILEX 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes >>> Mini jack M to M Part codes >>> Mini jack M to F Part codes >>> Retail >>>	PUN1.0M PUM1.0M MPF1.0M 40,00	PUN1.5M PUM1.5M MPF1.5M 45,00	n/a n/a MPF2.0M 50,00	PUN3.0M PUM3.0M MPF3.0M 60,00
	OCC-7N silver-clad copper COMPOSILEX 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes >>> Mini jack M to M Part codes >>> Mini jack M to F Part codes >>> Retail >>>	ECN1.0M NEM1.0M NEF1.0M 225,00	ECN1.5M NEM1.5M NEF1.5M 262,50	ECN2.0M NEM2.0M NEF2.0M 300,00	ECN3.0M NEM3.0M NEF3.0M 375,00
	OCC-7N solid silver COMPOSILEX 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes >>> Mini jack M to M Part codes >>> Mini jack M to F Part codes >>> Retail >>>	SEN1.0M NSM1.0M NSF1.0M 350,00	SEN1.5M NSM1.5M NSF1.5M 425,00	SEN2.0M NSM2.0M NSF2.0M 500,00	SEN3.0M NSM3.0M NSF3.0M 650,00
	OCC-7N solid silver COMPOSILEX 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes >>> Mini jack M to M Part codes >>> Mini jack M to F Part codes >>> Retail >>>	PEN1.0M NPM1.0M NPF1.0M 700,00	PEN1.5M NPM1.5M NPF1.5M 850,00	PEN2.0M NPM2.0M NPF2.0M 1000,00	PEN3.0M NPM3.0M NPF3.0M 1300,00



TONEARM CABLES	DNA HELIX DESIGN COMPOSILEX 5 insulation material	When ordering DIN tonearm cables please specify straight or angled DIN	Standard lengths		
			1.0M	1.5M	2.0M
	Series 10 Oxygen Free (OFC) conductors	DIN to 2 RCAs - Part codes >>> DIN to 2 XLRs - Part codes >>> Retail >>>	LUT1.0M LBT1.0M 222,00	LUT1.5M LBT1.5M 228,00	LUT2.0M LBT2.0M 234,00
		RCA to RCA w/Ground Wire - Part codes >>> Retail >>>	LUI1.0M-G 110,00	LUI1.5M-G 116,00	LUI2.0M-G 122,00
	Series 10 silver-plated OFC conductors	DIN to 2 RCAs - Part codes >>> DIN to 2 XLRs - Part codes >>> Retail >>>	SOT1.0M BST1.0M 288,00	SOT1.5M BST1.5M 302,00	SOT2.0M BST2.0M 316,00
		RCA to RCA w/Ground Wire - Part codes >>> Retail >>>	SOI1.0M-G 145,00	SOI1.5M-G 159,00	SOI2.0M-G 173,00
	Series 10 OCC-7N copper conductors	DIN to 2 RCAs - Part codes >>> DIN to 2 XLRs - Part codes >>> RCA to RCA w/Ground Wire - Part codes >>> Retail >>>	ECT1.0M EBT1.0M ERT1.0M 450,00	ECT1.5M EBT1.5M ERT1.5M 525,00	ECT2.0M EBT2.0M ERT2.0M 600,00
		DIN to 2 RCAs - Part codes >>> DIN to 2 XLRs - Part codes >>> RCA to RCA w/Ground Wire - Part codes >>> Retail >>>	SET1.0M SBT1.0M SRT1.0M 700,00	SET1.5M SBT1.5M SRT1.5M 850,00	SET2.0M SBT2.0M SRT2.0M 1,000,00
	Series 10 OCC-7N solid silver conductors	DIN to 2 RCAs - Part codes >>> DIN to 2 XLRs - Part codes >>> RCA to RCA w/Ground Wire - Part codes >>> Retail >>>	PET1.0M BPT1.0M PRT1.0M 1,400,00	PET1.5M BPT1.5M PRT1.5M 1,850,00	PET2.0M BPT2.0M PRT2.0M 2,300,00






HEADPHONE CABLES NO LONGER AVAILABLE






STANDARD SPEAKER CABLES (spades are standard, bananas optional) SpeakOn / 1/4" optional	Materials & Design		Standard length pairs				
			2.0M	2.5M	3.0M	5.0M	6.0M
	16 AWG/1.25mm ² 2 flat oxygen-free copper conductors Flexi-Flat design gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	HOS2.0M 74,00	HOS2.5M 80,00	HOS3.0M 86,00	HOS5.0M 110,00	HOS6.0M 122,00
		Part codes >>> Retail >>>	STS2.0M 125,00	STS2.5M 135,00	STS3.0M 145,00	STS5.0M 185,00	STS6.0M 205,00
	16 AWG/1.25mm ² oxygen-free copper conductors Dual DNA Helix design - COMPOSILEX 5 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	HES2.0M 106,00	HES2.5M 115,00	HES3.0M 124,00	HES5.0M 160,00	HES6.0M 178,00
		Part codes >>> Retail >>>	HCS2.0M 258,00	HCS2.5M 300,00	HCS3.0M 342,00	HCS5.0M 510,00	HCS6.0M 594,00
	16 AWG/1.25mm ² OCC-7N copper conductors Dual DNA Helix design - COMPOSILEX 5 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	LUS2.0M 174,00	LUS2.5M 190,00	LUS3.0M 206,00	LUS5.0M 270,00	LUS6.0M 302,00
		Part codes >>> Retail >>>	SOS2.0M 208,00	SOS2.5M 230,00	SOS3.0M 252,00	SOS5.0M 340,00	SOS6.0M 384,00
	14 AWG/2mm ² oxygen-free copper conductors Quad DNA Helix design - COMPOSILEX 5 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	OAS2.0M 560,00	OAS2.5M 600,00	OAS3.0M 640,00	OAS5.0M 800,00	OAS6.0M 880,00
		Part codes >>> Retail >>>	EOS2.0M 1,120,00	EOS2.5M 1,300,00	EOS3.0M 1,480,00	EOS5.0M 2,200,00	EOS6.0M 2,560,00
	11 AWG/4mm ² oxygen-free copper conductors Quad DNA Helix design - COMPOSILEX 5 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	MES2.0M 820,00	MES2.5M 950,00	MES3.0M 1,080,00	MES5.0M 1,600,00	MES6.0M 1,860,00
		Part codes >>> Retail >>>	ECS2.0M 2,300,00	ECS2.5M 2,700,00	ECS3.0M 3,100,00	ECS5.0M 4,700,00	ECS6.0M 5,500,00
	13 AWG/2.5mm ² OCC-7N copper conductors Quad DNA Helix design - COMPOSILEX 5 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	SES2.0M 4,800,00	SES2.5M 5,800,00	SES3.0M 6,800,00	SES5.0M 10,800,00	SES6.0M 12,800,00
		Part codes >>> Retail >>>	PES2.0M 44,900,00	PES2.5M 55,900,00	PES3.0M 66,900,00	PES5.0M 110,900,00	PES6.0M 132,900,00
	9 AWG/6mm ² OCC-7N copper conductors Octo DNA Helix design - COMPOSILEX 5 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>					
		Part codes >>> Retail >>>					
	9 AWG/6mm ² OCC-7N silver-clad copper conductors Octo DNA Helix design - COMPOSILEX 5 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>					
		Part codes >>> Retail >>>					
	8 AWG/8mm ² OCC-7N solid silver conductors Octo DNA Helix design - COMPOSILEX 5 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>					
		Part codes >>> Retail >>>					
		Part codes >>> Retail >>>					
		Part codes >>> Retail >>>					





BIWIRED SPEAKER CABLES (spades standard, banana plugs optional) SpeakON / 1/4" optional	Materials & Design		Standard length pairs				
			2.0M	2.5M	3.0M	5.0M	6.0M
LUNA 10 (LUB)  CL3 / FT4	14 AWG/2mm ² oxygen-free copper conductors Quad DNA Helix design - COMPOSILEX 5 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	LUB2.0M 214,00	LUB2.5M 230,00	LUB3.0M 246,00	LUB5.0M 310,00	LUB6.0M 342,00
SOLSTICE 10 (SOB)  CL3 / FT4	13 AWG/2.5mm ² oxygen-free copper conductors Quad DNA Helix design - COMPOSILEX 5 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	SOB2.0M 248,00	SOB2.5M 270,00	SOB3.0M 292,00	SOB5.0M 380,00	SOB6.0M 424,00
OASIS 10 (OAB)  CL3 / FT4	11 AWG/4mm ² oxygen-free copper conductors Quad DNA Helix design - COMPOSILEX 5 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	OAB2.0M 660,00	OAB2.5M 700,00	OAB3.0M 740,00	OAB5.0M 900,00	OAB6.0M 980,00
EQUINOX 8 (EQB)  CL3 / FT4	11 AWG/4mm ² OCC-7N copper conductors Quad DNA Helix design - COMPOSILEX 5 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	EOB2.0M 1.220,00	EOB2.5M 1.400,00	EOB3.0M 1.580,00	EOB5.0M 2.300,00	EOB6.0M 2.660,00
MINI ECLIPSE 10 (MEB)  CL3 / FT4	13 AWG/2.5mm ² OCC-7N copper conductors Quad DNA Helix design - COMPOSILEX 5 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	MEB2.0M 920,00	MEB2.5M 1.050,00	MEB3.0M 1.180,00	MEB5.0M 1.700,00	MEB6.0M 1.960,00
ECLIPSE 10 (ECB)  CL3 / FT4	9 AWG/6mm ² OCC-7N copper conductors Octo DNA Helix design - COMPOSILEX 5 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	ECB2.0M 2.500,00	ECB2.5M 2.900,00	ECB3.0M 3.300,00	ECB5.0M 4.900,00	ECB6.0M 5.700,00
SILVER ECLIPSE 10 (SEB)  CL3 / FT4	9 AWG/6mm ² OCC-7N silver-clad copper conductors Octo DNA Helix design - COMPOSILEX 5 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	SEB2.0M 5.000,00	SEB2.5M 6.000,00	SEB3.0M 7.000,00	SEB5.0M 11.000,00	SEB6.0M 13.000,00
PLATINUM ECLIPSE 10 (PEB)  CL3 / FT4	8 AWG/8mm ² OCC-7N solid silver conductors Octo DNA Helix design - COMPOSILEX 5 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	PEB2.0M 45.100,00	PEB2.5M 56.100,00	PEB3.0M 67.100,00	PEB5.0M 111.100,00	PEB6.0M 133.100,00


BIWIRED JUMPERS (Spades are standard, banana plugs optional, 6 inches long)		
OASIS 10 Biwire Jumpers (set of 4) 	Part code >>> Retail >>>	JUMPOAS 200,00
EQUINOX 10 Biwire Jumpers (set of 4) 	Part code >>> Retail >>>	JUMPEOS 300,00
ECLIPSE 10 Biwire Jumpers (set of 4) 	Part code >>> Retail >>>	JUMPECS 400,00
SILVER ECLIPSE 10 Biwire Jumpers (set of 4) 	Part code >>> Retail >>>	JUMPSSES 500,00
GOLD ECLIPSE 10 Biwire Jumpers (set of 4) 	Part code >>> Retail >>>	JUMPGES 660,00
PLATINUM ECLIPSE 10 Biwire Jumpers (set of 4) 	Part code >>> Retail >>>	JUMPPSES 880,00

SHIELDED MINI POWER CONDITIONING CORDS Mini Standard: US, EU wall plug to IEC C7 (Figure 8); UK termination available for €10 upcharge.	Materials & Design (IEC C7 angle adapter ADPC7C8 is included)		Standard Lengths			
			1.0M	1.5M	2.0M	3.0M
STRATUS 10 Shielded Mini Power Conditioning Cord (MSP) 	16 AWG / 1.25mm ² oxygen-free copper conductors Fluxfield cable design - COMPOSILEX 5 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	MSP1.0M 80,00	MSP1.5M 90,00	MSP2.0M 100,00	MSP3.0M 120,00
ELECTRA 10 Shielded Mini Power Conditioning Cord (MEP) 	16 AWG / 1.25mm ² OCC-7N copper conductors Fluxfield cable design - COMPOSILEX 5 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	MEP1.0M 180,00	MEP1.5M 220,00	MEP2.0M 260,00	MEP3.0M 340,00





POWER CONDITIONING CORDS Standard: US,EU,UK wall plug to IEC C13. C19 or PowerCON custom termination is available for an upcharge.	Materials & Design Ultra-quiet. Flexible flat design bends and coils easily. Longer lengths are more effective.		Standard Lengths			
			1.0M	1.5M	2.0M	3.0M
STRATIS 10 Power Cord (STP) 	12 AWG/3mm ² oxygen-free copper conductors Fluxfield cable design - COMPOSILEX 5 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	STP1.0M 140,00	STP1.5M 170,00	STP2.0M 200,00	STP3.0M 260,00
AURORA 10 Power Cord (AUP) 	12 AWG/3mm ² silver-clad OFC conductors Fluxfield cable design - COMPOSILEX 5 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	AUP1.0M 225,00	AUP1.5M 287,50	AUP2.0M 350,00	AUP3.0M 475,00
FLICTRA 10 Power Cord (FIP) 	12 AWG/3mm ² OCC-7N copper conductors Fluxfield cable design - COMPOSILEX 5 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	ELP1.0M 375,00	ELP1.5M 490,00	ELP2.0M 600,00	ELP3.0M 825,00
SILVER ELECTRA 10 Power Cord (SEP) 	12 AWG/3mm ² OCC-7N silver-clad copper conductors Fluxfield cable design - COMPOSILEX 5 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	SEP1.0M 600,00	SEP1.5M 775,00	SEP2.0M 950,00	SEP3.0M 1.300,00
PLATINUM ELECTRA 10 Power Cord (PEP) 	12 AWG/3mm ² OCC-7N solid silver conductors Fluxfield cable design - COMPOSILEX 5 insulation OCC silver-clad copper contacts	Part codes >>> Retail >>>	PEP1.0M 3.400,00	PEP1.5M 4.600,00	PEP2.0M 5.800,00	PEP3.0M 8.200,00










POWER CORD CONNECTOR UPGRADE Standard & custom lengths	15 AMP IEC C13		Part codes >>> Retail >>>	PCSVRIEC 100,00
<ul style="list-style-type: none"> Silver-clad copper alloy contacts Flat clamp for STP / AUP / ELP / SEP only Standard lengths may be upgraded with this connector All custom length cords and standard length upgraded cords will be priced according to the custom pricing chart above. 			Part codes >>> Retail >>>	PCSVREU 100,00
			Part codes >>> Retail >>>	PCSVRUS 90,00
	20 AMP IEC C19		Part codes >>> Retail >>>	PCSVR20AMP 90,00
POWER CORD CONNECTOR UPGRADE Standard & custom lengths			Part codes >>> Retail >>>	PCOCCIEC 180,00
			Part codes >>> Retail >>>	PCOCCEU 180,00
			Part codes >>> Retail >>>	PCOCCUS 180,00
<ul style="list-style-type: none"> OCC 7N Silver-clad contacts Flat clamp for PEP All Platinum Electra Power Cord are assembled with these connectors Available for European Schuko and US wall plugs 				







POWER CORD ADAPTERS		
Part code >>> Retail >>>	IECMFG8 8,00	
Part code >>> Retail >>>	IECM2F 12,00	
Part code >>> Retail >>>	IECM1F 8,00	
Part code >>> Retail >>>	ADPC7C8 5,00	

SECURE SLEEVE FOR IEC		
Part code >>> Retail >>>	SECURESLEEVE 5,00	





POWER STRIP		
MATRIX 2 OFC, star-wired, rack mountable, shielded power cord extender 	Part code >>> Retail >>>	MATRIX 140,00

SPEAKER CABLE CONNECTORS (shrink tubing not included)					
SET OF 8 UNI-TERM GOLD SPADES 	Part code >>> Retail >>>	SPDGUTM08 144,00	SET OF 8 UNI-TERM GOLD BANANAS 	Part code >>> Retail >>>	BANGUTM08 144,00
SET OF 16 UNI-TERM GOLD SPADES	Part code >>> Retail >>>	SPDGUTM16 288,00	SET OF 16 UNI-TERM GOLD BANANAS	Part code >>> Retail >>>	BANGUTM16 288,00
SET OF 8 UNI-TERM SILVER SPADES 	Part code >>> Retail >>>	SPDSUTM08 144,00	SET OF 8 UNI-TERM SILVER BANANAS 	Part code >>> Retail >>>	BANSUTM08 144,00
SET OF 16 UNI-TERM SILVER SPADES	Part code >>> Retail >>>	SPDSUTM16 288,00	SET OF 16 UNI-TERM SILVER BANANAS	Part code >>> Retail >>>	BANSUTM16 288,00















UNI-TERM SOCKETS - EXCHANGE BANANAS AND SPADES			
SOCKET Single with Set Screw 	Part code >>> Retail >>>	SOCKET 6,00	
SET OF 16 GOLD BANANAS FOR EXCHANGING 	Part code >>> Retail >>>	BANGEX16 192,00	SET OF 8 GOLD BANANAS FOR EXCHANGING  Part code >>> Retail >>> BANGEX08 96,00
SET OF 16 SILVER BANANAS FOR EXCHANGING 	Part code >>> Retail >>>	BANSEX16 192,00	SET OF 8 SILVER BANANAS FOR EXCHANGING  Part code >>> Retail >>> BANSEX08 96,00
SET OF 16 GOLD SPADES FOR EXCHANGING 	Part code >>> Retail >>>	SPDGEX16 192,00	SET OF 8 GOLD SPADES FOR EXCHANGING  Part code >>> Retail >>> SPDGEX08 96,00
SET OF 16 SILVER SPADES FOR EXCHANGING 	Part code >>> Retail >>>	SPDSEX16 192,00	SET OF 8 SILVER SPADES FOR EXCHANGING  Part code >>> Retail >>> SPDSEX08 96,00

1/4 INCH (6.3mm) UNI-TERM SPADE LUGS			
GOLD-PLATED OFC 1/4" SPADE Threaded for UNI-TERM and CRIMPABLE 	Dimensions .25" (6.3mm) inside .49" (12mm) outside	Part code >>> Retail >>>	SPG1/4-01 12,00
GOLD-PLATED OFC 1/4" SPADE (8-pack) 	Threaded	Part code >>> Retail >>>	SPG1/4-08 96,00
GOLD-PLATED OFC 1/4" SPADE (50-pack) Bulk price 		Part code >>> Retail >>>	SPG1/4-50 510,00
SILVER-CLAD OFC 1/4" SPADE Threaded for UNI-TERM and CRIMPABLE 	.25" (6.3mm) inside .49" (12mm) outside	Part code >>> Retail >>>	SPS1/4-01 12,00
SILVER-CLAD OFC 1/4" SPADE (8-pack) 	Threaded	Part code >>> Retail >>>	SPS1/4-08 96,00
SILVER-CLAD OFC 1/4" SPADE (50-pack) Bulk price 		Part code >>> Retail >>>	SPS1/4-50 510,00

TERMINATION KITS for SPEAKER CABLES	Includes parts needed for 1 - pair of cables SPADES AND BANANAS NOT INCLUDED	
	Part codes	Retail
Single wired (SOS/LUS/STS)	TKITSOS	6,00
Bi-wired (SOB/LUB)	TKITSOB	9,00
Single wired (OAS)	TKITOAS	75,00
Bi-wired (OAB)	TKITOAB	85,00
Single wired (EQS)	TKITEQS	75,00
Bi-wired (EQB)	TKITEQB	85,00
Single wired (MES)	TKITMES	75,00
Bi-wired (MEB)	TKITMEB	85,00
Single wired (ECS)	TKITECS	150,00
Bi-wired (ECB)	TKITECB	160,00
Single wired (SES)	TKITSES	150,00
Bi-wired (SEB)	TKITSEB	160,00
Single wired (GES)	TKITGES	150,00
Bi-wired (GEB)	TKITGEB	160,00
Single wired PES	TKITPES	200,00
Bi-wired PEB	TKITPEB	210,00

CRIMPABLE SPADE LUGS AND BANANA PLUGS, SET-SCREW BANANA PLUGS AND TOOLS									
Gold Crimpable Banana Pair with vinyl boots (Red and Black) 	Part code >>> Retail >>>	BANGCRPX-PR 2-PACK 10,00	BANGCRPX-4PK 4-PACK 20,00	BANGCRPX-8PK 8-PACK 40,00	BANGCRPX-50PK 50-PACK 225,00				
Gold Crimpable Universal Spade Pair with vinyl boots (Red and Black) 	Part code >>> Retail >>>	SPDGCPRX-PR 2-PACK 10,00	SPDGCPRX-4PK 4-PACK 20,00	SPDGCPRX-8PK 8-PACK 40,00	SPDGCPRX-50PK 50-PACK 225,00				
Gold Set-Screw Banana with ABS Shell (Red and White print) 	Part code >>> Retail >>>	BANGSCR-ABS-PR 2-PACK 10,00	BANGSCR-ABS-4PK 4-PACK 20,00	BANGSCR-ABS-8PK 8-PACK 40,00	BANGSCR-ABS-50PK 50-PACK 225,00	BANGSCR NO SHELL - SINGLE 4,50	BANGSCR-50PK NO SHELL 50-PACK 225,00		
Silver Crimpable Banana Pair with vinyl boots (Red and Black) 	Part code >>> Retail >>>	BANSCRPX-PR 2-PACK 16,00	BANSCRPX-4PK 4-PACK 32,00	BANSCRPX-8PK 8-PACK 64,00	BANSCRPX-50PK 50-PACK 350,00				

Hand Crimper		Part code >>> Cost>>>	CRMP TOOL 24,00
Bench Crimper		Part code >>> Cost>>>	CRMPBNCH 70,00

INTERCONNECT CONNECTORS		(shrink tubing included)	
Gold Tube RCA for LUI / SOT / CRV / UVV		Part code >>> Retail >>>	RCAM7M-10 15,00
Gold Tube RCA pair for LUI / SOT / CRV / UVV		Part code >>> Retail >>>	RCAM7PR-10 30,00
Silver Tube RCA for OAI / EOI / STV		Part code >>> Retail >>>	RCAM8_5M-10 20,00
Silver Tube RCA pair for OAI / EQI / STV		Part code >>> Retail >>>	RCAM8_5PR-10 40,00
Silver Tube RCA for ECI / SEI / GEI / SSV / GSV		Part code >>> Retail >>>	RCAM11.5MM-10 30,00
Silver Tube RCA pair for ECI / SEI / GEI / SSV / GSV		Part code >>> Retail >>>	RCAM11PR-10 60,00
Silver Tube Carbon Fiber RCA for PEI / PSV		Part code >>> Retail >>>	RCAMPEI 90,00
XLR for OBI & OBI		Part code Female >>> Part code Male >>> Retail >>>	XLRFSVR XLRMSVR 18,00
XLR pair for OBI & OBI 1 Male and 1 female		Part code >>> Retail >>>	XLRSVRPR 36,00
XLR Reference		Part code Female >>> Part code Male >>> Retail >>>	XLRFREF XLRMREF 36,00
XLR Reference pair 1 Male and 1 female		Part code >>> Retail >>>	XLRREFPR 72,00
Mini Jack 8.5mm opening small diameter shell		Part code >>> Retail >>>	MJK3_5AL 12,00
RJ45 ETHERNET PLUG Field termination shrink included		Part code >>> Retail >>>	RJ45WWX 25,00
RJ45 ETHERNET PLUG FOR PSE Field termination shrink included		Part code >>> Retail >>>	RJ45PSEX 30,00

PROGOLD CONTACT TREATMENT			
PROGOLD (2ml. squeeze tube) Improves performance		Part code >>> Retail >>>	PROGOLD 12,00
DEOXIT (2ml. squeeze tube) cleans contacts thoroughly		Part code >>> Retail >>>	DEOXIT 12,00
Rejuvenation Kit 1 - Deoxit Wipe / 1 - ProGold Wipe / 1 - Cleaning Cloth		Part code >>> Retail >>>	REJUVKIT 10,00